

HPAF-II | 305088

Description	HPAF-II	HPAF-II
	HPAF-II	KRAS TP53 CDKN2A
Organism		
Tissue		
Disease		
Metastatic site		
Synonyms	hpaf ii, hpafii, hpaf-2, hpaf2, hpaf/cd18, cd18/hpaf, hpaf-ii/cd18, cd-18, cd18, cd 18	
Age	44	
Gender		
Ethnicity		
Morphology		
Growth properties		
Citation	HPAF-II (Cytion	305088)
Biosafety level	1	
NCBI_TaxID	9606	
CellosaurusAccession	CVCL_0313	

HPAF-II | 305088

Culture Medium EMEM MEM Eagle w 2 mM L- w 2.2 g/L NaHCO3 w EBSS Cytion 820100a

Supplements 10% FBS 1% NEAA

Dissociation Reagent

Doubling time 26

Subculturing PBS T25 3-5ml T75 5-10ml PBS T25 1-2m

Fluid renewal 2 3

Freeze medium FBS 10 DMSO CM-1

Thawing and Culturing Cells

- 1.
2. -150 3
3. 37 40 60
4. 70
5. 8ml 15ml
6. 300 x g 3
7. 10ml 2 T25 1
- 8.

Incubation Atmosphere 37 5% CO2

HPAF-II | 305088

Flask Coating

Freezing Procedure	-78
---------------------------	-----

Shipping Conditions	-78
----------------------------	-----

Storage Conditions	-150 -196	80
---------------------------	-----------	----

HLA

Sterility	PCR
------------------	-----