Product sheet

SK-N-SH | 305028

Description	SK-N-SH SK-N-SH SK-N-SH 2 7 9 17 17 SK-N-SH SK-N-SH SK-N-SH SK-N-SH
Organism	
Tissue	
Disease	
Metastatic site	
Synonyms	sk n sh, skn-sh, sk-nsh, sknsh, nsh
Age	4
Gender	
Ethnicity	
Morphology	
Growth properties	
Citation	SK-N-SH Cytion 305028
Biosafety level	1
NCBI_TaxID	9606

Product sheet

SK-N-SH | 305028

CellosaurusAccession	CVCL_0531

Protein expression	β M-Csf
Antigen expression	A Rh

Culture Medium	EMEM MEM Eagle w 2 mM L- w 2.2 g/L NaHCO3 w EBSS Cytion 820100a
Supplements	10% FBS 1% NEAA
Dissociation Reagent	
Subculturing	PBS T25 3-5ml T75 5-10ml PBS T25 1-2m
Split ratio	1:2 1:4
Fluid renewal	2 3
Freeze medium	50 40 FBS 10 DMSO CM-1 Cytion 800100

SK-N-SH | 305028

Thawing and Culturing Cells	1. 2. -150 3 3. 37 40 60 4. 70 5. 8ml 15ml 6. 300 x g 3 7. 10ml 2 T25 1 8.
Incubation Atmosphere	37 5% CO_2
Flask Coating	
Freezing Procedure	-78
Shipping Conditions	-78
Storage Conditions	-150 -196 80
Sterility	PCR

SK-N-SH | 305028

STR	**Amelogenin**: x,x **CSF1PO**: 11 **D13S317**: 11 **D16S539**: 8,13 **D5S818**: 12 **D7S820**: 7,1 **TH01**: 7,1 **TPOX**: 8,11 **vWA**: 14 18 **D3S1358**: 15 16 **D21S11**: 31,31.2 **D18S51**: 13,16 **Penta E**: 7,11 **Penta D**: 10 12 **D8S1179**: 15 **FGA**: 23.2,24 **D6S1043**: 12 18 **D2S1338**: 17 19 **D12S391**: 18,22 **D19S433**: 13 14