

SK-N-SH | 305028

Description						
SK-N-SH			SK-N-SH			
SK-N-SH	2		7	9	17	17
SK-N-SH						SK-N-SH
SK-N-SH				SK-N-SH		

**Organism**

**Tissue**

**Disease**

**Metastatic site**

**Synonyms** sk n sh, skn-sh, sk-nsh, sknsh, nsh

**Age** 4

**Gender**

**Ethnicity**

**Morphology**

**Growth properties**

**Citation** SK-N-SH (Cytion 305028)

**Biosafety level** 1

**NCBI\_TaxID** 9606

SK-N-SH | 305028

**CellosaurusAccession** CVCL\_0531

**Protein expression** β M-Csf

**Antigen expression** A Rh

**Culture Medium** EMEM MEM Eagle w 2 mM L- w 2.2 g/L NaHCO<sub>3</sub> w EBSS Cytion 820100a

**Supplements** 10% FBS 1% NEAA

**Dissociation Reagent**

**Subculturing** PBS T25 3-5ml T75 5-10ml PBS T25 1-2m

**Fluid renewal** 2 3

**Freeze medium** 50 40 FBS 10 DMSO CM-1 Cytion 800100

SK-N-SH | 305028

Thawing and Culturing Cells				
1.				
2.		-150		3
3.		37		40 60
4.	70			
5.		8ml	15ml	
6.	300 x g	3		
7.	10ml		2	T25
8.				

**Incubation Atmosphere** 37 5% CO<sub>2</sub>

Flask Coating				

**Freezing Procedure** -78

Shipping Conditions				
		-78		

**Storage Conditions** -150 -196 80

### HLA

Sterility				
		PCR		