Product sheet

L929 | 400260

Description	L-929 100 C3H/An 1940 L-929 L-929 L-929 TNF TNF L-929 IBDV - L-929
Organism	
Tissue	
Synonyms	NCTC 929, NCTC 929, NCTC-929, NCTC929, L , L , L , L , L, L-929, L 929, L929(NCTC), 929, , L

Breed/Subspecies	C3H/An
Age	100
Gender	
Morphology	
Cell type	
Growth properties	

Citation	L-929 (Cytion 400260)
Biosafety level	1
NCBI_TaxID	10090
CellosaurusAccession	CVCL_0462

L929 | 400260

Antigen expression	H-2k
Tumorigenic	
Viruses	
Virus resistance	1 2 3 B5
Reverse transcriptase	

Culture Medium	DMEM:Ham's F12 (1:1) w: 3.1 g/L w: 2.5 mM L- w: 15 mM HEPES w: 0.5 mM w: 1.2 g/L NaHCO3 (Cyti
Supplements	10% FBS
Dissociation Reagent	
Doubling time	25
Subculturing	PBS T25 3-5ml T75 5-10ml PBS T25 1-2m
Seeding density	2 3×10^4 /cm^2
Fluid renewal	2 3
Post-Thaw Recovery	24 48
Freeze medium	FBS 10 DMSO CM-1

Thawing and Culturing Cells

1.
2. -150 3
3. 37 40 60
4. 70
5. 8ml 15ml
6. 300 x g 3
7. 10ml 2 T25 1
8.

Incubation Atmosphere 37 5% CO_2

Flask Coating

Freezing Procedure -78

Shipping Conditions -78

Storage Conditions -150 -196 80

HLA

Sterility PCR