

Hep-CLS-C9 | 400195

Description	C3H/HE	C3H/HE	N-	NDEA
Organism				
Tissue				
Disease				
Synonyms	HEP-CLS-C9, C9			
Breed/Subspecies	C3H/HE			
Age				
Gender				
Morphology				
Growth properties				
Citation	Hep-CLS-C9 (Cytion		400195)	
Biosafety level	1			
NCBI_TaxID	10090			
CellosaurusAccession	CVCL_5776			
Tumorigenic	C3H/HE			

Hep-CLS-C9 | 400195

Mutational profile P53 wt

Culture Medium RPMI1640 w 2.0mM w 2.0g/L NaHCO3 Cytion article number 820700a

Supplements 10% FBS

Dissociation Reagent

Subculturing PBS T25 3-5ml T75 5-10ml PBS T25 1-2m

Seeding density $1 \times 10^4 / \text{cm}^2$

Fluid renewal 3 5

Post-Thaw Recovery $\frac{4}{5 \times 10^6}$ 24

Freeze medium FBS 10 DMSO CM-1

Hep-CLS-C9 | 400195

Thawing and Culturing Cells				
1.				
2.		-150		3
3.		37		40 60
4.	70			
5.		8ml	15ml	
6.	300 x g 3			
7.	10ml		2 T25	
8.				

Incubation Atmosphere 37 5% CO₂

Flask Coating

Freezing Procedure -78

Shipping Conditions -78

Storage Conditions -150 -196 80

HLA

Sterility PCR