

WB-F344 | 305201

| | | | |
|--------------------|---------|---------|--|
| Description | WB-F344 | | |
| | WB-F344 | | |
| | | WB-F344 | |

Organism

| | |
|---------------|--|
| Tissue | |
|---------------|--|

Synonyms WB F344 WBF344

| | |
|-------------------------|-----|
| Breed/Subspecies | 344 |
|-------------------------|-----|

Age

| | |
|---------------|--|
| Gender | |
|---------------|--|

Morphology

| | |
|--------------------------|--|
| Growth properties | |
|--------------------------|--|

| | | |
|-----------------|-----------------|---------|
| Citation | WB-F344 (Cytion | 305201) |
|-----------------|-----------------|---------|

Biosafety level 1

| | |
|-------------------|-------|
| NCBI_TaxID | 10116 |
|-------------------|-------|

CellosaurusAccession CVCL_9806

WB-F344 | 305201

Culture Medium EMEM MEM Eagle w 2 mM L- w 2.2 g/L NaHCO3 w EBSS Cytion 820100a

Supplements 7% FBS 1% NEAA

Dissociation Reagent

Subculturing PBS T25 3-5ml T75 5-10ml PBS T25 1-2m

Fluid renewal 2 3

Freeze medium FBS 10 DMSO CM-1

Thawing and Culturing Cells

- 1.
2. -150 3
3. 37 40 60
4. 70
5. 8ml 15ml
6. 300 x g 3
7. 10ml 2 T25 1
- 8.

Incubation Atmosphere 37 5% CO2

Flask Coating

Shipping Conditions -78

WB-F344 | 305201

**Storage
Conditions**

-150 -196

80

HLA

Sterility

PCR