

**J774A.1 | 400220**

Description							
J774A.1			BALB/c/NIH		J774A.1		
J774A.1			p-	PPD	LPS		J774A.1
J774A.1	17		RAW264.7		J774A.1		-1 IL-1
J774A.1							[1,5-a]
	J774A.1						

-1  
C3

**Organism**

**Tissue**

**Disease**

**Synonyms** J-774A.1 J774A1 J774A1 J774A.1 J774A.1 J774A.1

**Breed/Subspecies** BALB/c

**Age**

**Gender**

**Cell type**

**Growth properties**

**Citation** J774A.1 (Cytion 400220)

**Biosafety level** 1

**NCBI\_TaxID** 10090

**CellosaurusAccession** CVCL\_0358

J774A.1 | 400220

<b>Receptors expressed</b>	Fc	C3
----------------------------	----	----

<b>Products</b>	-1	1 IL-1 LAF
-----------------	----	------------

<b>Culture Medium</b>	DMEM w 4.5g/L	w 4mM L-	w 3.7g/L NaHCO3	w 1.0mM	Cytion 820300a
-----------------------	---------------	----------	-----------------	---------	----------------

<b>Supplements</b>	10% FBS
--------------------	---------

<b>Dissociation Reagent</b>	
-----------------------------	--

<b>Subculturing</b>	15ml	PBS	T25	3 5ml T75	5 10ml
---------------------	------	-----	-----	-----------	--------

<b>Seeding density</b>	$1 \times 10^4 / \text{cm}^2$
------------------------	-------------------------------

<b>Fluid renewal</b>	2 3
----------------------	-----

<b>Freeze medium</b>	FBS	10 DMSO	CM-1
----------------------	-----	---------	------

J774A.1 | 400220

**Thawing and Culturing Cells**

- 1.
2. -150 3
3. 37 40 60
4. 70
5. 8ml 15ml
6. 300 x g 3
7. 10ml 2 T25 1
- 8.

**Incubation Atmosphere**

37 5% CO<sub>2</sub>

**Flask Coating**

**Freezing Procedure**

-78

**Shipping Conditions**

-78

**Storage Conditions**

-150 -196 80

**HLA**

**Sterility**

PCR