

SK-N-BE(2) | 305058

Description β- SK-N-BE(2) 1×10⁶ /cm²

Organism

Tissue

Disease

Metastatic site

Synonyms SK-N-BE2 SK-N-BE-2 SKNBE(2) SKNBE-2 SKNBE2 SK-N-BE SKNBE

Age 2

Gender

Ethnicity

Morphology

Growth properties

Citation SK-N-BE(2) (305058)

Biosafety level 1

NCBI_TaxID 9606

CellosaurusAccession CVCL_0528

Tumorigenic

SK-N-BE(2) | 305058

Culture Medium EMEM Ham's F12 50 50 Cytion article number 820100a and 820600a

Supplements 10% FBS

Dissociation Reagent

Subculturing 15 ml PBS T25 3 5 ml T75 5 10 ml T25

Fluid renewal 2 3

Freeze medium 50 40 FBS 10 DMSO CM-1 Cytion 800100

Thawing and Culturing Cells

- 1.
2. -150 3
3. 37 40 60
4. 70
5. 8ml 15ml
6. 300 x g 3
7. 10ml 2 T25
- 8.

Incubation Atmosphere 37 5% CO₂

Flask Coating

SK-N-BE(2) | 305058

Freezing Procedure -78

Shipping Conditions -78

Storage Conditions -150 -196 80

HLA

Sterility PCR