

NCI-H716 | 305079

<b>Description</b>	NCI-H716	33	NCI-H716	1 GLP-1
				in vivo 3
	NCI-H716		NCI-H716	

**Organism**

**Tissue**

**Disease**

**Metastatic site**

**Synonyms** NCI H716 NCI-H716 H-716 NCIH716

**Age** 33

**Gender**

**Ethnicity**

**Morphology**

**Growth properties**

**Citation** NCI-H716 Cytion 305079

**Biosafety level** 1

**NCBI\_TaxID** 9606

**CellosaurusAccession** CVCL\_1581

NCI-H716 | 305079

**Culture Medium** RPMI1640 w 2.0mM w 2.0g/L NaHCO3 Cytion article number 820700a

**Supplements** 10% FBS

**Doubling time** 50

**Subculturing**  $5 \times 10^5$  /ml 1ml  $1 \times 10^6$

**Split ratio** 1:2 1:5

**Seeding density**  $3 \times 10^5$  /ml

**Fluid renewal** 1ml

**Freeze medium** FBS 10 DMSO

CM-1

**Thawing and Culturing Cells**

- 1.
2. -150 3
3. 37 40 60
4. 70
5. 8ml 15ml
6. 300 x g 3
7. 10ml 2 T25
- 8.

1

