

WEHI-164 | 400438

<b>Description</b>	WEHI-164	3-	BALB/c
	WEHI-164		
	WEHI-164		

WEHI-164

**Organism**

<b>Disease</b>
----------------

**Synonyms**      164    164    164 TC

<b>Breed/Subspecies</b>	BALB/c
-------------------------	--------

**Morphology**

<b>Cell type</b>
------------------

**Growth properties**

<b>Citation</b>	WEHI-164	400438
-----------------	----------	--------

**Biosafety level**      1

<b>NCBI_TaxID</b>	10090
-------------------	-------

**CellosaurusAccession**    CVCL\_2251

<b>Tumorigenic</b>	Balb/c
--------------------	--------

**WEHI-164 | 400438**

<b>Culture Medium</b>	RPMI1640 w 2.0mM w 2.0g/L NaHCO3 Cytion article number 820700a
-----------------------	--

<b>Supplements</b>	10% FBS
--------------------	---------

<b>Dissociation Reagent</b>	
-----------------------------	--

<b>Subculturing</b>	PBS	T25	3-5ml T75	5-10ml PBS	T25	1-2m
---------------------	-----	-----	-----------	------------	-----	------

<b>Seeding density</b>	$1 \times 10^4 / \text{cm}^2$
------------------------	-------------------------------

<b>Fluid renewal</b>	2 3
----------------------	-----

<b>Post-Thaw Recovery</b>	$\frac{4}{5 \times 10^6}$	48
---------------------------	---------------------------	----

<b>Freeze medium</b>	FBS	10 DMSO	CM-1
----------------------	-----	---------	------

<b>Thawing and Culturing Cells</b>	1.			
	2.	-150		3
	3.	37		40 60
	4.		70	
	5.	8ml		15ml
	6.	300 x g 3		
	7.	10ml		2 T25
	8.			

<b>Incubation Atmosphere</b>	37 5% CO2
------------------------------	-----------

WEHI-164 | 400438

**Flask Coating**

**Freezing Procedure** -78

**Shipping Conditions** -78

**Storage Conditions** -150 -196 80

**HLA**

**Sterility** PCR