

WEHI-164 | 400438

Description	WEHI-164	3-	BALB/c
	WEHI-164		
	WEHI-164		

WEHI-164

Organism

Disease

Synonyms 164 164 164 TC

Breed/Subspecies	BALB/c
-------------------------	--------

Morphology

Cell type

Growth properties

Citation	WEHI-164	400438
-----------------	----------	--------

Biosafety level 1

NCBI_TaxID	10090
-------------------	-------

CellSaurusAccession CVCL_2251

Tumorigenic	Balb/c
--------------------	--------

WEHI-164 | 400438

Culture Medium	RPMI1640 w 2.0mM w 2.0g/L NaHCO3 Cytion article number 820700a
-----------------------	----------------------------------------------------------------

Supplements	10% FBS
--------------------	---------

Dissociation Reagent	
-----------------------------	--

Subculturing	PBS	T25	3-5ml T75	5-10ml PBS	T25	1-2m
---------------------	-----	-----	-----------	------------	-----	------

Seeding density	$1 \times 10^4 / \text{cm}^2$
------------------------	-------------------------------

Fluid renewal	2 3
----------------------	-----

Post-Thaw Recovery	⁴ 5 ¹⁰	48
---------------------------	-----------------------------------------	----

Freeze medium	FBS	10 DMSO	CM-1
----------------------	-----	---------	------

Thawing and Culturing Cells	1.			
	2.	-150		3
	3.	37		40 60
	4.		70	
	5.	8ml		15ml
	6.	300 x g	3	
	7.	10ml		2 T25
	8.			

Incubation Atmosphere	37 5% CO2
------------------------------	-----------

WEHI-164 | 400438

Flask Coating

Freezing Procedure -78

Shipping Conditions -78

Storage Conditions -150 -196 80

HLA

Sterility PCR