

RH-35 | 305210

Description	H4-II-E RH-35	Reuber H-35	N-2-	ACI
	H4-II-E			

Organism

Tissue

Disease

Synonyms	H4II, H-35tc2, Reuber-H-35 hepatoma tissue culture 2, Reuber H-35 tc2, Reuber H35 tc2, H-35 Reuber tc2, H35 Reuber tc2, RH-35 tc2, RH35 tc2, H-35 tc2, H35 tc2			
-----------------	--	--	--	--

Breed/Subspecies

Gender

Morphology

Growth properties

Citation	RH-35	305210		
-----------------	-------	--------	--	--

Biosafety level	1			
------------------------	---	--	--	--

NCBI_TaxID	10116			
-------------------	-------	--	--	--

CellosaurusAccession	CVCL_4623			
-----------------------------	-----------	--	--	--

RH-35 | 305210

Culture Medium	Ham's F12 w 1.0mM	w 1.0mM	w 1.1g/L NaHCO3	Cytion article number 820600a
-----------------------	-------------------	---------	-----------------	-------------------------------

Supplements	10% FBS
--------------------	---------

Dissociation Reagent	
-----------------------------	--

Subculturing		PBS	T25	3-5ml T75	5-10ml PBS	T25	1-2m
---------------------	--	-----	-----	-----------	------------	-----	------

Split ratio	1:2	1:4
--------------------	-----	-----

Fluid renewal	2	3
----------------------	---	---

Freeze medium		FBS	10	DMSO	CM-1
----------------------	--	-----	----	------	------

Thawing and Culturing Cells	1.					
	2.		-150		3	
	3.		37		40	60
	4.	70				
	5.		8ml	15ml		
	6.	300 x g	3			
	7.	10ml		2	T25	1
	8.					

Incubation Atmosphere	37	5% CO2
------------------------------	----	--------

Flask Coating	
----------------------	--

RH-35 | 305210

**Freezing
Procedure**

-78

**Shipping
Conditions**

-78

**Storage
Conditions**

-150 -196

80

HLA

Sterility

PCR