

OS-RC-2 | 305086

| | | | | | | | | |
|--------------------|---------|-----|------------------------|---------|-----|---------|-----------------------|-----|
| Description | OS-RC-2 | RCC | | RCC | | | | |
| | OS-RC-2 | | | | | OS-RC-2 | 2 | 13 |
| | OS-RC-2 | | α TNF- α | -6 IL-6 | RCC | | TNF- α OS-RC-2 | DNA |

Organism

| | |
|---------------|--|
| Tissue | |
|---------------|--|

Disease

| | |
|-----------------|------------|
| Synonyms | OSRC2 RC-2 |
|-----------------|------------|

| | |
|------------|----|
| Age | 52 |
|------------|----|

Gender

| | |
|------------------|--|
| Ethnicity | |
|------------------|--|

Morphology

| | |
|--------------------------|--|
| Growth properties | |
|--------------------------|--|

| | | |
|-----------------|-----------------|---------|
| Citation | OS-RC-2 (Cytion | 305086) |
|-----------------|-----------------|---------|

Biosafety level 1

| | |
|-------------------|------|
| NCBI_TaxID | 9606 |
|-------------------|------|

CellosaurusAccession CVCL_1626

OS-RC-2 | 305086

Tumorigenic

Culture Medium RPMI1640 w 2.0mM w 2.0g/L NaHCO3 Cytion article number 820700a

Supplements 10% FBS

Dissociation Reagent

Subculturing PBS T25 3-5ml T75 5-10ml PBS T25 1-2m

Fluid renewal 2 3

Freeze medium FBS 10 DMSO CM-1

Thawing and Culturing Cells

- 1.
2. -150 3
3. 37 40 60
4. 70
5. 8ml 15ml
6. 300 x g 3
7. 10ml 2 T25 1
- 8.

Incubation Atmosphere 37 5% CO2

OS-RC-2 | 305086

Flask Coating

Freezing Procedure -78

Shipping Conditions -78

Storage Conditions -150 -196 80

HLA

Sterility PCR