

LLC1 LL-2 | 305311

<b>Description</b>	LLC1 LL-2		LLC	C57BL/6	in vitro
	LLC1 LL-2	-			
	LLC1 LL-2				

**Organism**

<b>Tissue</b>	
---------------	--

**Disease**

<b>Synonyms</b>	LL/2 LLC1 LL/2 LLc1 LL/2 LLc1 LL/2 LL2 LLC1 LLC	1
-----------------	---	---

<b>Breed/Subspecies</b>	C57BL/6
-------------------------	---------

**Growth properties**

<b>Citation</b>	LLC1 (LL-2) (Cytion 305311)
-----------------	-----------------------------

**Biosafety level** 1

<b>NCBI_TaxID</b>	10090
-------------------	-------

**CellosaurusAccession** CVCL\_4358

<b>Antigen expression</b>	H-2b
---------------------------	------

**Tumorigenic** C57BL

LLC1 LL-2 | 305311

<b>Viruses</b>	MAP 1	Sendai LDV	Ektromelia RCV/SDA	Polyoma M-	K-Virus B.piliformis	Kilham	Reo 3	PVM	LCM	M.pulmonis	MVM	Theiler's	GD VII	Toolan's H-			
<b>Culture Medium</b>	DMEM	w 4.5g/L	w 4mM L-	w 3.7g/L NaHCO3	w 1.0mM						Cytion	820300a					
<b>Supplements</b>	10% FBS																
<b>Dissociation Reagent</b>																	
<b>Doubling time</b>	21																
<b>Subculturing</b>	15 ml			PBS		T25	3	5 ml	T75	5	10 ml			T25			
<b>Seeding density</b>	1 $2 \times 10^4$ /cm <sup>2</sup>																
<b>Fluid renewal</b>	2 3																
<b>Post-Thaw Recovery</b>	4	/cm <sup>2</sup>												24			
<b>Freeze medium</b>														FBS	10	DMSO	CM-1

LLC1 LL-2 | 305311

**Thawing and Culturing Cells**

- 1.
2. -150 3
3. 37 40 60
4. 70
5. 8ml 15ml
6. 300 x g 3
7. 10ml 2 T25 1
- 8.

**Incubation Atmosphere** 37 5% CO<sub>2</sub>

**Flask Coating**

**Freezing Procedure** -78

**Shipping Conditions**

-78

**Storage Conditions** -150 -196 80

**HLA**

**Sterility** PCR