

**KLN-205 | 400419**

<b>Description</b>	KLN-205	KLN-205	NSCLC
	KLN-205	in vivo	

**Organism**

**Tissue**

**Disease**

<b>Synonyms</b>	kln 205, kln205
-----------------	-----------------

<b>Breed/Subspecies</b>	DBA/2
-------------------------	-------

**Growth properties**

<b>Citation</b>	KLN-205 (Cytion 400419)
-----------------	-------------------------

<b>Biosafety level</b>	1
------------------------	---

<b>NCBI_TaxID</b>	10090
-------------------	-------

<b>CellosaurusAccession</b>	CVCL_3533
-----------------------------	-----------

<b>Tumorigenic</b>	DBA/2 BDF1
--------------------	------------

<b>Culture Medium</b>	EMEM MEM Eagle w 2 mM L- w 2.2 g/L NaHCO3 w EBSS Cytion 820100a
-----------------------	---

KLN-205 | 400419

<b>Supplements</b>	10% FBS 1% NEAA	
<b>Dissociation Reagent</b>		
<b>Subculturing</b>	PBS	T25 3 5ml PBS T75 5 10ml PBS TrypLE Express
<b>Fluid renewal</b>	2 3	
<b>Post-Thaw Recovery</b>	4 <del>5</del> 10	24
<b>Freeze medium</b>	FBS	10 DMSO
<b>Thawing and Culturing Cells</b>		
1.		
2.		-150 3
3.		37 40 60
4.	70	
5.		8ml 15ml
6.	300 x g 3	
7.	10ml	2 T25
8.		
<b>Incubation Atmosphere</b>	37 5% CO <sub>2</sub>	
<b>Flask Coating</b>		
<b>Freezing Procedure</b>	-78	

CM-1

1

KLN-205 | 400419

---

**Shipping  
Conditions**

-78

**Storage  
Conditions**

-150 -196

80

**HLA**

**Sterility**

PCR