

**KLN-205 | 400419**

<b>Description</b>	KLN-205	KLN-205	NSCLC
	KLN-205	in vivo	

**Organism**

**Tissue**

**Disease**

**Synonyms** kln 205, kln205

**Breed/Subspecies** DBA/2

**Growth properties**

**Citation** KLN-205 (Cytion 400419)

**Biosafety level** 1

**NCBI\_TaxID** 10090

**CellosaurusAccession** CVCL\_3533

**Tumorigenic** DBA/2 BDF1

**Culture Medium** EMEM MEM Eagle w 2 mM L- w 2.2 g/L NaHCO3 w EBSS Cytion 820100a

KLN-205 | 400419

<b>Supplements</b>	10% FBS 1% NEAA	
<b>Dissociation Reagent</b>		
<b>Subculturing</b>	PBS	T25 3 5ml PBS T75 5 10ml PBS TrypLE Express
<b>Fluid renewal</b>	2 3	
<b>Post-Thaw Recovery</b>	4 <del>5</del> 10	24
<b>Freeze medium</b>	FBS	10 DMSO
<b>Thawing and Culturing Cells</b>		
1.		
2.	-150	3
3.	37	40 60
4.	70	
5.	8ml	15ml
6.	300 x g 3	
7.	10ml	2 T25
8.		
<b>Incubation Atmosphere</b>	37 5% CO <sub>2</sub>	
<b>Flask Coating</b>		
<b>Freezing Procedure</b>	-78	

CM-1

1

KLN-205 | 400419

---

**Shipping  
Conditions**

-78

**Storage  
Conditions**

-150 -196

80

**HLA**

**Sterility**

PCR