

SNU-182 | 305119

| | | | | |
|--------------------|---------|------------|-----|---------|
| Description | SNU-182 | | HCC | |
| | SNU-182 | α - | AFP | SNU-182 |

Organism

Tissue

Disease

| | |
|-----------------|--------------------|
| Synonyms | SNU182 NCI-SNU-182 |
|-----------------|--------------------|

| | |
|------------|----|
| Age | 24 |
|------------|----|

Gender

Ethnicity

Morphology

Growth properties

| | | |
|-----------------|-----------------|---------|
| Citation | SNU-182 (Cytion | 305119) |
|-----------------|-----------------|---------|

| | |
|------------------------|---|
| Biosafety level | 1 |
|------------------------|---|

| | |
|-------------------|------|
| NCBI_TaxID | 9606 |
|-------------------|------|

| | |
|-----------------------------|-----------|
| CellosaurusAccession | CVCL_0090 |
|-----------------------------|-----------|

SNU-182 | 305119

Culture Medium RPMI1640 w 2.0mM w 2.0g/L NaHCO3 Cytion article number 820700a

Supplements 10% FBS

Dissociation Reagent

Doubling time 46

Subculturing PBS T25 3-5ml T75 5-10ml PBS T25 1-2m

Split ratio 1:3 1:6

Fluid renewal 2 3

Freeze medium FBS 10 DMSO CM-1

Thawing and Culturing Cells

- 1.
2. -150 3
3. 37 40 60
4. 70
5. 8ml 15ml
6. 300 x g 3
7. 10ml 2 T25 1
- 8.

Incubation Atmosphere 37 5% CO2

SNU-182 | 305119

Flask Coating

Freezing Procedure -78

Shipping Conditions -78

Storage Conditions -150 -196 80

HLA

Sterility PCR