

MOLP-8 | 304082

| | | | | | | |
|--------------------|--------|-------------------|----------|-------|-------------|------|
| Description | MOLP-8 | t(11;14)(q13;q32) | / | III A | Bence-Jones | / |
| | MOLP-8 | CD38 | CD138 | CD54 | CD56 | δ λ |
| | MOLP-8 | | in vitro | | | CD28 |

Organism

Tissue

Disease

Metastatic site

Synonyms MOLP8

Age 52

Gender

Ethnicity

Growth properties

Citation MOLP-8 (Cytion 304082)

Biosafety level 1

NCBI_TaxID 9606

CellosaurusAccession CVCL_2124

MOLP-8 | 304082

MSI-status MSS

Culture Medium RPMI1640 w 2.0mM w 2.0g/L NaHCO3 Cytion article number 820700a

Supplements 20 FBS 2.5g/L 10mM HEPES

Doubling time 40

Subculturing ⁵ /ml 1ml 1x

Seeding density 5 × 10⁵ /ml

Freeze medium FBS 10 DMSO CM-1

Thawing and Culturing Cells

- 1.
2. -150 3
3. 37 40 60
4. 70
5. 8ml 15ml
6. 300 x g 3
7. 10ml 2 T25 1
- 8.

Incubation Atmosphere 37 5% CO2

MOLP-8 | 304082

Flask Coating

Freezing Procedure -78

Shipping Conditions -78

Storage Conditions -150 -196 80

HLA

Sterility PCR