# Product sheet

## K7M2 wt | 305188

| | |
|---|---|
| **Description** | K7M2 wt<br>K7M2 wt Wnt/β- PI3K/ACT |
| **Organism** | |
| **Tissue** | |
| **Disease** | |
| **Metastatic site** | |
| **Applications** | BALB/c Wnt/β- PI3K/AKT Fc |
| **Synonyms** | K7M2-WT, K7M2 |

| | |
|---|---|
| **Breed/Subspecies** | BALB/c |
| **Age** | 895 |
| **Gender** | |
| **Cell type** | |
| **Growth properties** | |

| | |
|---|---|
| **Citation** | K7M2 wt Cytion 305188 |
| **Biosafety level** | 1 |
| **NCBI_TaxID** | 10090 |
| **CellosaurusAccession** | CVCL_V455 |

## Product sheet

## K7M2 wt | 305188

| | |
|---|---|
| **GMO Status** | BALB/c |
| **Receptors expressed** | (C3), , Fc , IgG, I(Fcgr1), |
| **Tumorigenic** | |
| **Culture Medium** | DMEM w 4.5g/L w 4mM L- w 3.7g/L NaHCO3 w 1.0mM Cytion 820300a |
| **Supplements** | 10% FBS |
| **Dissociation Reagent** | |
| **Subculturing** | PBS T25 3-5ml T75 5-10ml PBS T25 1-2m |
| **Fluid renewal** | 2 3 |
| **Freeze medium** | FBS 10 DMSO CM-1 |

## K7M2 wt | 305188

| | |
|---|---|
| **Thawing and Culturing Cells** | 1.<br>2. -150 3<br>3. 37 40 60<br>4. 70<br>5. 8ml 15ml<br>6. 300 x g 3<br>7. 10ml 2 T25 1<br>8. |
| **Incubation Atmosphere** | 37 5% $CO_2$ |
| **Flask Coating** | |
| **Freezing Procedure** | -78 |
| **Shipping Conditions** | -78 |
| **Storage Conditions** | -150 -196 80 |
| **Sterility** | PCR |