

MDA-MB-435S | 300277

**Description** : (MDA-MB-435) M14  
MDA-MB-435S , ,  
, MDA-MB-435S

**Organism**

**Tissue**

**Disease**

**Metastatic site** ,

**Synonyms** MDA-MB-435s, MDA-MB-435 S, MDA-MB-435-S, MDAMB435S, BrCL15

**Age** 33

**Gender**

**Ethnicity**

**Morphology**

**Growth properties**

**Citation** MDA-MB-435S( 300277)

**Biosafety level** 1

**NCBI\_TaxID** 9606

**CellSaurusAccession** CVCL\_0622

**MDA-MB-435S | 300277**

**Culture Medium** DMEM: F12(1:1), w: 3.1 g/L , w: 2.5mM L- , w: 15mM HEPES, w: 0.5mM , w: 1.2 g/L NaHCO3 (Cytion

**Supplements** 5% FBS

**Dissociation Reagent**

**Subculturing** PBS . T25 3~5ml, T75 5~10ml PBS . T25

**Fluid renewal** 2~3

**Freeze medium** (FBS ) + 10% DMSO , CM-1(Cytion 800100)

**Thawing and Culturing Cells**

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

**Incubation Atmosphere** 37°C, 5% CO2' .

**Flask Coating**

MDA-MB-435S | 300277

**Freezing  
Procedure**

-78°C

**Shipping  
Conditions**

-78°C

**Storage  
Conditions**

-150°C -196°C .80°C

/ / HLA

**Sterility**

PCR