

MDA-MB-468 | 300279

Description	MDA-MB-468	MDA-MB-468
	MDA-MB-468	TP53
	MDA-MB-468	

Organism
Tissue

Disease
Metastatic site

Synonyms	MDA-MB 468, MDA-MB468, MDAMB468, MDA-468, MDA468, MB468, MD Anderson-Metastatic Breast-468
-----------------	--

Age	51
------------	----

Gender
Ethnicity

Morphology
Growth properties

Citation	MDA-MB-468(300279)
-----------------	---------------------

Biosafety level	1
------------------------	---

NCBI_TaxID	9606
-------------------	------

CellSaurusAccession	CVCL_0419
----------------------------	-----------

MDA-MB-468 | 300279

Culture Medium DMEM: F12(1:1), w: 3.1 g/L , w: 2.5mM L- , w: 15mM HEPES, w: 0.5mM , w: 1.2 g/L NaHCO3 (Cytion 82

Supplements 10% FBS

Dissociation Reagent

Subculturing PBS . T25 3~5ml, T75 5~10ml PBS . T25

Fluid renewal 2~3

Freeze medium (FBS) + 10% DMSO , CM-1(Cytion 800100)

Thawing and Culturing Cells

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

Incubation Atmosphere 37°C, 5% CO2' .

Flask Coating

MDA-MB-468 | 300279

**Freezing
Procedure**

-78°C

**Shipping
Conditions**

-78°C

**Storage
Conditions**

-150°C -196°C .80°C

/ / HLA

Sterility

PCR