

SW48 | 305235

Description SW48 . SW48 APC, K
SW48 (CEA) . SW48

Organism

Tissue

Disease

Synonyms SW-48, SW 48

Age 83

Gender

Ethnicity

Morphology

Growth properties

Citation SW48(305235)

Biosafety level 1

NCBI_TaxID 9606

CellosaurusAccession CVCL_1724

SW48 | 305235

Tumorigenic ,

Culture Medium L-15, w: 2.0mM L- , 0.55g/L NaHCO3(. .)

Supplements 10% FBS

Dissociation Reagent

Subculturing PBS . T25 3~5ml, T75 5~10ml PBS . T25

Freeze medium (FBS) + 10% DMSO , CM-1(Cytion 800100)

- Thawing and Culturing Cells**
1. .
 2. -150°C , 3 .
 3. 37°C 40~60 .
 4. , 70% .
 5. 8ml 15ml .
 6. 300 x g 3 .
 7. 10ml . T25 , T25
 8. .

Incubation Atmosphere 37°C, 5% CO2' .

Flask Coating

SW48 | 305235

Freezing Procedure	-78°C	.
---------------------------	-------	---

Shipping Conditions	-78°C	.
----------------------------	-------	---

Storage Conditions	-150°C	-196°C	.80°C	.
---------------------------	--------	--------	-------	---

/ / HLA

Sterility	PCR	.
------------------	-----	---