

**MET-5A | 305269**

<b>Description</b>	MET-5A
	MET-5A

**Organism**

<b>Tissue</b>	
---------------	--

<b>Synonyms</b>	MeT-5A, MeT 5A, MeT5A, Met5A, Met5A, pRSV-T 5A
-----------------	--

**Age**

**Gender**

**Morphology**

**Cell type**

**Growth properties**

<b>Citation</b>	MET-5A( 305269)
-----------------	-----------------

<b>Biosafety level</b>	1
------------------------	---

<b>NCBI_TaxID</b>	9606
-------------------	------

<b>CellosaurusAccession</b>	CVCL_3749
-----------------------------	-----------

<b>GMO Status</b>	GMO-S1: (MET-5A) SV40 T-
-------------------	--------------------------

**MET-5A | 305269**

**Protein expression** , , SV40 T

**Tumorigenic**

**Viruses** : 40(SV40)

**Culture Medium** 199, w: 1.5g/L NaHCO<sub>3</sub>

**Supplements**

15% FBS, 15mM HEPES, 1% ITS+  
 :  
 H<sub>2</sub>SeO<sub>3</sub> 0.3869 mg/L ( )  
 MnCl<sub>2</sub>×4H<sub>2</sub>O 0.0198 mg/L ( )  
 Na<sub>2</sub>SiO<sub>3</sub>×9H<sub>2</sub>O 14.2100 mg/L ( )  
 (NH<sub>4</sub>)<sub>6</sub>Mo<sub>7</sub>O<sub>24</sub>×4H<sub>2</sub>O 0.1236 mg/L ( )  
 NH<sub>4</sub>VO<sub>3</sub> 0.0585 mg/L ( )  
 NiSO<sub>4</sub>×6H<sub>2</sub>O 0.0131 mg/L ( )  
 SnCl<sub>2</sub>×2H<sub>2</sub>O 0.0113 mg/L ( )

**Dissociation Reagent**

**Subculturing** PBS . T25 3~5ml, T75 5~10ml PBS . T25

**Fluid renewal** 2~3

**Freeze medium** (FBS ) + 10% DMSO , CM-1(Cytion 800100)

**MET-5A | 305269**

Thawing and Culturing Cells	
1.	.
2.	-150°C , 3 .
3.	37°C 40~60 .
4.	, 70% .
5.	8ml 15ml .
6.	300 x g 3 .
7.	10ml . T25 , T25
8.	. .

**Incubation Atmosphere** 37°C, 5%<sub>CO2</sub> .

**Flask Coating**

**Freezing Procedure** -78°C . . . . .

**Shipping Conditions** -78°C . . . . .

**Storage Conditions** -150°C -196°C .80°C . . . . .

/ / HLA

**Sterility** PCR . . . . .