

CHO-TACD2 | 305415

<b>Description</b>	:	.	.
	CHO-TACD2	12,600	TACD2
	CXCR7		CHO( )

<b>Organism</b>
<b>Tissue</b>

<b>Age</b>
------------

<b>Gender</b>
---------------

<b>Morphology</b>
-------------------

<b>Growth properties</b>	/
--------------------------	---

<b>Citation</b>	CHO-TACD2( 305415)
-----------------	--------------------

<b>Biosafety level</b>	1
------------------------	---

<b>NCBI_TaxID</b>	10029
-------------------	-------

<b>GMO Status</b>	GMO-S1: CHO TACD2
-------------------	-------------------

<b>Receptors expressed</b>	TACD2(TROP2 GA733-1)
----------------------------	----------------------

**CHO-TACD2 | 305415**

**Culture Medium** : DMEM: F12(1:1), w: 3.1g/L , w: 2.5mM L- , w: 15mM HEPES, w: 0.5mM , w: 1.2g/L NaHCO3(Cytion  
 CHO A(InSCREENeX, InSCREENeX INS-ME-1039)

**Supplements** : 5% FBS . (G418- ) 0.5mg/mL .

**Dissociation Reagent** : -EDTA

**Subculturing** : PBS . PBS CO<sub>2</sub>/EDTA ( : T29~3

**Fluid renewal** 2~3

**Post-Thaw Recovery** T25 1:2 ~ 1:3 24 ( ) .

**Freeze medium** (FBS ) + 10% DMSO , CM-1(Cytion 800100)

- Thawing and Culturing Cells**
1. .
  2. -150°C , 3 .
  3. 37°C 40~60 .
  4. , 70% .
  5. 8ml 15ml .
  6. 300 x g 3 .
  7. 10ml . T25 , T25
  8. .

CHO-TACD2 | 305415

**Incubation Atmosphere** 37°C, 5% CO<sub>2</sub>

**Flask Coating**

**Freezing Procedure** -78°C

**Shipping Conditions** -78°C

**Storage Conditions** -150°C -196°C -80°C

/ / HLA

**Sterility** PCR