

CHO-FOLR1 | 305416

Description

250 : 6,
CHO-FOLR1 15,000 ~ FOLR1 CHO()
, CART
FOLR1

Organism

Tissue

Age

Gender

Morphology

Growth properties /

Citation CHO-FOLR1(305416)

Biosafety level 1

NCBI_TaxID 10029

GMO Status GMO-S1: CHO FOLR1

Receptors expressed FOLR1((FR α) FBP)

CHO-FOLR1 | 305416

Culture Medium : DMEM: F12(1:1), w: 3.1g/L , w: 2.5mM L- , w: 15mM HEPES, w: 0.5mM , w: 1.2g/L NaHCO3(Cytion
 CHO A(InSCREENeX, InSCREENeX INS-ME-1039)

Supplements : 5% FBS . (G418-) 0.5mg/mL .

Dissociation Reagent : -EDTA

Subculturing : PBS . PBS CO₂/EDTA (: T29~3

Fluid renewal 2~3

Post-Thaw Recovery T25 1:2 ~ 1:3 24 () .

Freeze medium (FBS) + 10% DMSO , CM-1(Cytion 800100)

- Thawing and Culturing Cells**
1. .
 2. -150°C , 3 .
 3. 37°C 40~60 .
 4. , 70% .
 5. 8ml 15ml .
 6. 300 x g 3 .
 7. 10ml . T25 , T25
 8. .

CHO-FOLR1 | 305416

Incubation Atmosphere 37°C, 5% CO₂

Flask Coating

Freezing Procedure -78°C

Shipping Conditions -78°C

Storage Conditions -150°C -196°C -80°C

/ / HLA

Sterility PCR