

**CHO-CCR8 | 305418**

**Description**

CHO-CCR8 (CCR8) Treg cells, 8,000 cells per vial. CHO( )

**Organism**

**Tissue**

**Age**

**Gender**

**Morphology**

**Growth properties**

**Citation** CHO-CCR8( 305418)

**Biosafety level** 1

**NCBI\_TaxID** 10029

**GMO Status** GMO-S1: CHO GPCR CCR8

**Receptors expressed** CCR8(CHEMR1 CDw198)

**CHO-CCR8 | 305418**

**Culture Medium** : DMEM: F12(1:1), w: 3.1g/L , w: 2.5mM L- , w: 15mM HEPES, w: 0.5mM , w: 1.2g/L NaHCO3(Cytion CHO A(InSCREENeX, InSCREENeX INS-ME-1039)

**Supplements** : 5% FBS . (G418- ) 0.5mg/mL .

**Dissociation Reagent** : -EDTA

**Subculturing** : PBS . PBS CO2/EDTA ( : T29~3

**Fluid renewal** 2~3

**Post-Thaw Recovery** T25 1:2 ~ 1:3 24 ( ) .

**Freeze medium** (FBS ) + 10% DMSO , CM-1(Cytion 800100)

- Thawing and Culturing Cells**
1. .
  2. -150°C , 3 .
  3. 37°C 40~60 .
  4. , 70% .
  5. 8ml 15ml .
  6. 300 x g 3 .
  7. 10ml . T25 , T25
  8. .

CHO-CCR8 | 305418

**Incubation Atmosphere** 37°C, 5% CO<sub>2</sub>

**Flask Coating**

**Freezing Procedure** -78°C

**Shipping Conditions** -78°C

**Storage Conditions** -150°C -196°C -80°C

/ / HLA

**Sterility** PCR