

HEK293-HER2 | 305422

**Description**

HEK293-HER2 75,000 HER2 HEK293  
HER3 HER4 EGFR .HER2 , ( )  
HER2 , .

**Organism**

**Tissue**

**Age**

**Gender**

**Morphology**

**Growth properties**

**Citation** HEK293-HER2( 305422)

**Biosafety level** 1

**NCBI\_TaxID** 9606

**GMO Status** GMO-S1: HEK293 HER2

**Receptors expressed** HER2

**HEK293-HER2 | 305422**

<b>Culture Medium</b>	RPMI 1640, w: 2.0mM	, w: 2.0g/L NaHCO3(	820700a)
<b>Supplements</b>	10% FBS, 1mM	, 10mM HEPES, 1% NEAA	(G418- ) 1mg/mL
<b>Dissociation Reagent</b>	-EDTA		
<b>Subculturing</b>	:	PBS	.PBS CO2 /EDTA 2-3 T25
<b>Split ratio</b>	A ratio of 1:2 is recommended for the initial split after thawing. A ratio of 1:5 to 1:10 is recommended for routine culture.		
<b>Fluid renewal</b>	2~3		
<b>Post-Thaw Recovery</b>	T25	1:2 ~ 1:3	24
<b>Freeze medium</b>	(FBS ) + 10% DMSO		CM-1(Cytion 800100)
<b>Thawing and Culturing Cells</b>	<ol style="list-style-type: none"> <li>1.</li> <li>2. -150°C</li> <li>3. 37°C 40~60</li> <li>4. , 70%</li> <li>5. 8ml 15ml</li> <li>6. 300 x g 3</li> <li>7. 10ml T25 , T25</li> <li>8.</li> </ol>		

HEK293-HER2 | 305422

**Incubation Atmosphere** 37°C, 5% CO<sub>2</sub>

**Flask Coating**

**Freezing Procedure** -78°C

**Shipping Conditions** -78°C

**Storage Conditions** -150°C -196°C -80°C

/ / HLA

**Sterility** PCR