Product sheet

H4-II-E-C3 | 305336

Description	H4-II-E-C3 , . . H4-II-E-C3 , H4-II-E-C3 , 2 (ALDH2) .
Organism	
Tissue	
Disease	
Synonyms	H4IIEC3, H4-IIE-C3, H4-II-EC3, H-II-E-C3

Breed/Subspecies	AxC
Age	
Gender	
Growth properties	

Citation	H4-II-E-C3 (Cytion 305336)
Biosafety level	1
NCBI_TaxID	10116
CellosaurusAccession	CVCL_0285
GMO Status	GMO-S1: (H4-II-E-C3) GMO , . ,

H4-II-E-C3 | 305336

Protein expression	: , , ,
Tumorigenic	, AxC

Culture Medium	DMEM, w: 4.5g/L , w: 4mM L- , w: 3.7g/L NaHCO3, w: 1.0mM (820300a)
Supplements	10% FBS
Dissociation Reagent	
Subculturing	PBS . T25 3~5ml, T75 5~10ml PBS . T25
Seeding density	1-3×10^4/cm^2
Fluid renewal	2~3
Freeze medium	(FBS) + 10% DMSO , CM-1(Cytion 800100)

H4-II-E-C3 | 305336

Thawing and Culturing Cells

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

Incubation Atmosphere

37°C, 5% $_{CO2}$, .

Shipping Conditions

-78°C . .

Storage Conditions

-150°C -196°C . 80°C .

Sterility

PCR .

, .