Product sheet

IEC-18 | 305302

Description	IEC-18 . (Cl-) . IEC-18 DIDS cAMP Cl- . IEC-18 . E2(PGE2) cAMP IEC- IEC-18 . Caco-2 IEC-18
Organism	
Tissue	,
Disease	
Synonyms	IEC 18, IEC 18, 18

Breed/Subspecies	(CD(SD))
Age	18-24
Gender	
Morphology	
Cell type	
Growth properties	

Citation	IEC-18(305302)
Biosafety level	1
NCBI_TaxID	10116

Product sheet

IEC-18 | 305302

CellosaurusAccession	CVCL_0342

Culture Medium	DMEM, w: 4.5g/L , w: 4mM L- , w: 3.7g/L NaHCO3, w: 1.0mM (820300a)
Supplements	10% FBS
Dissociation Reagent	
Subculturing	PBS . T25 3~5ml, T75 5~10ml PBS . T25
Seeding density	2 x 10^4 /cm^2
Fluid renewal	2
Freeze medium	(FBS) + 10% DMSO , CM-1(Cytion 800100)
Thawing and Culturing Cells	1. . 2. -150°C , 3 . 3. 37°C 40~60 . 4. , 70% . 5. 8ml 15ml . 6. 300 x g 3 . 7. 10ml . T25 , T25 8. .

IEC-18 | 305302

Incubation Atmosphere	37°C, 5%$_{CO2}$, .
Flask Coating	
Freezing Procedure	-78°C . .
Shipping Conditions	-78°C . .
Storage Conditions	-150°C -196°C . 80°C .
Sterility	PCR . , .