

| 305513

Description	MINO	B	(MCL)	.	64	MCL	.	MCL
	MINO		(pRB)	Bcl-2	Bcl-xL			MCL
	MINO			D1	PI3K/Akt	Bcl-2		MCL

Organism

Tissue

Disease

Synonyms Mino

Age 68

Gender

Ethnicity

Morphology

Cell type

Growth properties

Citation MINO(305513)

Biosafety level 1

NCBI_TaxID 9606

| 305513

CellosaurusAccession CVCL_1872

Mutational profile : CDKN2A, p.Glu88Lys(c.262G>A), ; : : NRAS, p.Gly13Asp(c.38G>A), ; : p.Val147Gly(c.440T>G),

Culture Medium RPMI 1640, w: 2.0mM , w: 2.0g/L NaHCO3(820700a)

Supplements 10% FBS

Split ratio A ratio of 1:5 to 1:10 is recommended for routine culture.

Seeding density 1×10^6 /mL

Freeze medium (FBS) + 10% DMSO , CM-1(Cytion 800100)

Thawing and Culturing Cells

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

| 305513

Incubation Atmosphere 37°C, 5% CO₂

Flask Coating

Freezing Procedure -78°C

Shipping Conditions -78°C

Storage Conditions -150°C -196°C -80°C

/ / HLA

Sterility PCR