

NCM460 | 305430

| | | | |
|--------------------|--------|---|---|
| Description | NCM460 | , | . |
| | NCM460 | - | . |
| | NCM460 | . | , |

Organism

| | |
|---------------|---|
| Tissue | , |
|---------------|---|

Disease

| | |
|-----------------|---------|
| Synonyms | NCM-460 |
|-----------------|---------|

| | |
|------------|----|
| Age | 68 |
|------------|----|

Gender

| |
|------------------|
| Ethnicity |
|------------------|

Morphology

| |
|------------------|
| Cell type |
|------------------|

Growth properties

| | | |
|-----------------|---------|---------|
| Citation | NCM460(| 305430) |
|-----------------|---------|---------|

| | |
|------------------------|---|
| Biosafety level | 1 |
|------------------------|---|

| | |
|-------------------|------|
| NCBI_TaxID | 9606 |
|-------------------|------|

| | |
|-----------------------------|-----------|
| CellosaurusAccession | CVCL_0460 |
|-----------------------------|-----------|

NCM460 | 305430

Tumorigenic ,

Culture Medium DMEM, w: 4.5g/L , w: 4mM L- , w: 3.7g/L NaHCO₃, w: 1.0mM (820300a)

Supplements 10% FBS 1% NEAA .

Dissociation Reagent

Doubling time 32-38

Subculturing PBS . T25 3~5ml, T75 5~10ml PBS . T25

Freeze medium (FBS) + 10% DMSO , CM-1(Cytion 800100)

Thawing and Culturing Cells

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

Incubation Atmosphere 37°C, 5% CO₂ .

NCM460 | 305430

Flask Coating

Freezing Procedure

-78°C

Shipping Conditions

-78°C

Storage Conditions

-150°C -196°C .80°C

/ / HLA

Sterility

PCR