

SK-N-DZ | 305628

Description

SK-N-DZ

SK-N

SK-N-DZ

MYCN

ALK

SK-N-DZ

Organism

Tissue

Disease

Metastatic site

Applications

. MRD-1

; 3

SKNDZ

Age

2

Gender

Ethnicity

Morphology

Cell type

Growth properties

Citation

SK-N-DZ (Cytion

305628)

Biosafety level

1

Product sheet

SK-N-DZ | 305628

NCBI_TaxID 9606

CellosaurusAccession CVCL_1701

Mutational profile : TP53, , p.Arg110Leu (c.329G>T),

Culture Medium DMEM, w: 4.5g/L , w: 4mM L- , w: 3.7g/L NaHCO3, w: 1.0mM (820300a)

Supplements 10% FBS

Dissociation Reagent

Seeding density 0.3×10^6 /ml

Fluid renewal 2~3

Freeze medium (FBS) + 10% DMSO , CM-1(Cytion 800100)

SK-N-DZ | 305628

Thawing and
Culturing Cells

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

Incubation
Atmosphere

37°C, 5% CO₂ ,

Shipping
Conditions

-78°C .

Storage
Conditions

-150°C -196°C . 80°C .

Sterility

PCR .

, .