

- | 305696

Description	Renca-Luc	Renca	,	.	Renca	BALB/c
	Renca-Luc		BALB/c		(BLI)	.
	Renca-Luc	BALB/c	,	Renca	.	
Organism						
Tissue						
Disease						
Synonyms	RenCa					
Age	6					
Gender						
Ethnicity	BALB/c					
Morphology						
Growth properties						
Citation	- (Cytion 305696)					
Biosafety level	1					
NCBI_TaxID	10090					
CellosaurusAccession	CVCL_E3IJ					
GMO Status	GMO-S1: , (Luc2,) .					

Product sheet

- | 305696

Antigen expression	Luc2 (,)				
Tumorigenic	,				
Culture Medium	RPMI 1640, w: 2.1mM , w: 2.0g/L NaHCO3(820700a)				
Supplements	10% FBS				
Dissociation Reagent					
Doubling time	24~48				
Subculturing	PBS . T25 3~5ml, T75 5~10ml PBS . T25				
Split ratio	1~3				
Seeding density	$1\sim3 \times 10^4 / \text{cm}^2$				
Fluid renewal	2~3				
Freeze medium	+ 10% DMSO .				

Product sheet

- | 305696

Thawing and
Culturing Cells

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 200 x g 5 .
7. .

Incubation
Atmosphere

37°C, 5%_{CO2} .

Shipping
Conditions

-78°C .

Storage
Conditions

-150°C -196°C . 80°C .