Product sheet

HK/FDC | 300205

Description	HK/FDC HK , . HK/FDC B , -IgM CD40 . , VCAM-1
Organism	
Tissue	
Disease	
Metastatic site	(;)
Applications	B ; FDC-B ; B ; / ; FDC
Age	
Gender	
Ethnicity	
Morphology	
Cell type	
Growth properties	
Citation	HK/FDC(300205)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_IY38

Product sheet

HK/FDC | 300205

GMO Status	GMO-S1: HK/FDC (Cytion/Inscreenex) . , .
Viruses	, i.A.
Culture Medium	DMEM: F12(1:1), w: 3.1 g/L , w: 2.5mM L- , w: 15mM HEPES, w: 0.5mM , w: 1.2 g/L NaHCO3 (Cytion 820
Supplements	10% FBS
Dissociation Reagent	
Doubling time	24~48
Split ratio	1~3
Seeding density	1~3 × 10^4 /cm^2
Fluid renewal	2~3
Freeze medium	(FBS) + 10% DMSO , CM-1(Cytion 800100)

Thawing and Culturing Cells	1. . 2. -150°C , 3 . 3. 37°C 40~60 . 4. , 70% . 5. 8ml 15ml . 6. 300 x g 3 . 7. 10ml . T25 , T25 8. .
Incubation Atmosphere	37°C, 5% $_{CO2}$, .
Flask Coating	
Freezing Procedure	-78°C . .
Shipping Conditions	-78°C . .
Storage Conditions	-150°C -196°C . 80°C .
Sterility	PCR . , .