

NCI-H1755 | 305834

Description	NCI-H1755	(NSCLC)	.	(NCI)
	NCI-H1755		.	PI3K/AKT RAS/E
	NCI-H1755		10%	RPMI-1640

Organism	
Tissue	

Disease	
Synonyms	H1755, H-1755, NCH1755

Age	65
------------	----

Gender	
Ethnicity	

Cell type	/
Growth properties	,

Citation	NCI-H1755(305834)
-----------------	--------------------

Biosafety level	1
------------------------	---

NCBI_TaxID	9606
-------------------	------

CellosaurusAccession	CVCL_1492
-----------------------------	-----------

NCI-H1755 | 305834

Mutational profile : BRAF, , p.Gly469Ala(c.1406G>C), , TP53, , p.Cys242Phe(c.725G>T),

Culture Medium RPMI 1640, w: 2.0mM , w: 2.0g/L NaHCO3(820700a)

Supplements 10% FBS

Dissociation Reagent

Fluid renewal 2~3

Freeze medium (FBS) + 10% DMSO , CM-1(Cytion 800100)

- Thawing and Culturing Cells**
1. .
 2. -150°C , 3 .
 3. 37°C 40~60 .
 4. , 70% .
 5. 8ml 15ml .
 6. 300 x g 3 .
 7. 10ml . T25 , T25
 8. .

Incubation Atmosphere 37°C, 5% CO2' .

Flask Coating

NCI-H1755 | 305834

Freezing Procedure -78°C

Shipping Conditions -78°C

Storage Conditions -150°C -196°C .80°C

/ / HLA

Sterility PCR