

NCI-H1755 | 305834

<b>Description</b>	NCI-H1755	(NSCLC)	.	(NCI)
	NCI-H1755		.	PI3K/AKT RAS/E
	NCI-H1755		10%	RPMI-1640

<b>Organism</b>	
<b>Tissue</b>	

<b>Disease</b>	
<b>Synonyms</b>	H1755, H-1755, NCH1755

<b>Age</b>	65
------------	----

<b>Gender</b>	
<b>Ethnicity</b>	

<b>Cell type</b>	/
<b>Growth properties</b>	,

<b>Citation</b>	NCI-H1755( 305834)
-----------------	--------------------

<b>Biosafety level</b>	1
------------------------	---

<b>NCBI_TaxID</b>	9606
-------------------	------

<b>CellosaurusAccession</b>	CVCL_1492
-----------------------------	-----------

NCI-H1755 | 305834

**Mutational profile** : BRAF, , p.Gly469Ala(c.1406G>C), , TP53, , p.Cys242Phe(c.725G>T),

**Culture Medium** RPMI 1640, w: 2.0mM , w: 2.0g/L NaHCO3( 820700a)

**Supplements** 10% FBS

**Dissociation Reagent**

**Fluid renewal** 2~3

**Freeze medium** (FBS ) + 10% DMSO , CM-1(Cytion 800100)

- Thawing and Culturing Cells**
1. .
  2. -150°C , 3 .
  3. 37°C 40~60 .
  4. , 70% .
  5. 8ml 15ml .
  6. 300 x g 3 .
  7. 10ml . T25 , T25
  8. .

**Incubation Atmosphere** 37°C, 5% CO2' .

**Flask Coating** .

NCI-H1755 | 305834

<b>Freezing Procedure</b>	-78°C	.
---------------------------	-------	---

<b>Shipping Conditions</b>	-78°C	.
----------------------------	-------	---

<b>Storage Conditions</b>	-150°C	-196°C	.80°C	.
---------------------------	--------	--------	-------	---

/ / HLA

<b>Sterility</b>	PCR	.
------------------	-----	---