

SU-DHL-8 | 305877

**Description** SU-DHL-8 B (DLBCL) . B (ABC) DLBCL , NF-κB  
, SU-DHL-8 BCR NF-κB ABC-DLBCL .

**Organism**

**Tissue**

**Disease** B B

**Synonyms** - -8, SUDHL8, SUDHL-8, - -8, DHL-8, DHL8

**Age** 59

**Gender**

**Ethnicity**

**Morphology**

**Cell type** B

**Growth properties** ,

**Citation** SU-DHL-8( 305877)

**Biosafety level** 1

**NCBI\_TaxID** 9606

**CellosaurusAccession** CVCL\_2207

**SU-DHL-8 | 305877**

<b>Antigen expression</b>	Ig+; IgM-, IgG-, IgA-, IgD-, -, -		
<b>Mutational profile</b>	: KMT2D, , p.Pro648Thrfs*2 (c.1940dupC) (c.1940_1941insC), (Cosmic-CLP=1331038), TP53, , p.Tyr234Asn (c.700T>A), (Cosmic-CLP=1331038), TP53, , p.Arg249Gly(c.745A>G), Heterozygous (Cosmic-CLP=1331038)		
<b>Culture Medium</b>	RPMI 1640, w: 2.0mM	, w: 2.0g/L NaHCO3(	820700a)
<b>Supplements</b>	10% FBS		
<b>Dissociation Reagent</b>			
<b>Doubling time</b>	~48-72		
<b>Seeding density</b>	0.3-0.5 × 10 <sup>6</sup> /mL		
<b>Fluid renewal</b>	2~3		
<b>Freeze medium</b>	(FBS ) + 10% DMSO	,	CM-1(Cytion 800100)

SU-DHL-8 | 305877

**Thawing and Culturing Cells**

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

**Incubation Atmosphere** 37°C, 5% CO<sub>2</sub> .

**Flask Coating**

**Shipping Conditions** -78°C .

**Storage Conditions** -150°C -196°C . 80°C .

/ / HLA

**Sterility** PCR .