# Product sheet

## Hep-G2/C3A | 305891

| | |
|---|---|
| **Description** | Hep-G2/C3A( C3A ) 15 ( ) ( ) . Hep-G2 Hep-G2/C3A . , 3D |
| **Organism** | |
| **Tissue** | |
| **Disease** | |
| **Synonyms** | HepG2/C3A, Hep G2/C3A, C3A |

| | |
|---|---|
| **Age** | 15 |
| **Gender** | |
| **Ethnicity** | |
| **Morphology** | |
| **Growth properties** | |

| | |
|---|---|
| **Citation** | Hep-G2/C3A( 305891) |
| **Biosafety level** | 1 |
| **NCBI_TaxID** | 9606 |
| **CellosaurusAccession** | CVCL_1098 |

## Hep-G2/C3A | 305891

| | |
|---|---|
| **Mutational profile** | : p.Gln61Leu, |

| | |
|---|---|
| **Culture Medium** | EMEM(MEM ), w: 2mM L- , w: 2.2g/L NaHCO3, w: EBSS( 820100a) |
| **Supplements** | 10% FBS |
| **Dissociation Reagent** | |
| **Freeze medium** | + 10% DMSO . |
| **Thawing and Culturing Cells** | 1. .<br>2. -150°C , 3 .<br>3. 37°C 40~60 .<br>4. , 70% .<br>5. 8ml 15ml .<br>6. 200 x g 5 .<br>7. |
| **Incubation Atmosphere** | 37°C, 5% $_{CO2}$, . |
| **Shipping Conditions** | -78°C . . |
| **Storage Conditions** | -150°C -196°C . 80°C . |

**/ / HLA**