

NCI-H1793 | 305911

Description	NCI-H1793	(NSCLC)	.	.	NCI-H1793
	NCI-H1793	,	KRAS	(G12C)	MAPK PI3K-AKT
	NCI-H1793	KRAS	,	,	RAS

Organism	
Tissue	

Disease	
Synonyms	H1793, H-1793, NCIH1793

Age	52
------------	----

Gender	
Ethnicity	

Morphology	
Growth properties	

Citation	NCI-H1793 (305911)
-----------------	---------------------

Biosafety level	1
------------------------	---

NCBI_TaxID	9606
-------------------	------

CellosaurusAccession	CVCL_1496
-----------------------------	-----------

NCI-H1793 | 305911

Mutational profile : p.Arg209Ter, ; : p.Arg273His,

Culture Medium **HITES**

DF12 . :

- 0.005 mg/ml
- 0.01 mg/ml
- 30 nM ()
- 10 nM ()
- 10 nM - ()
- 2 mM L- (4.5 mM)
- 5% ()

Dissociation Reagent

Freeze medium (FBS) + 10% DMSO , CM-1(Cytion 800100)

Thawing and Culturing Cells

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

NCI-H1793 | 305911

**Incubation
Atmosphere**

37°C, 5% CO₂

**Shipping
Conditions**

-78°C

**Storage
Conditions**

-150°C -196°C .80°C

/ / HLA

Sterility

PCR