

4T1-GFP | 305625

Description 4T1-GFP (GFP) 4T1 ,
4T1 GFP ,
,4T1 , (anoikis) , .4T1

Organism

Tissue

Disease

Synonyms 4T1-A, 4T1.0, 4T1/WT

Age

Gender

Growth properties

Citation 4T1-GFP (Cytion 305625)

Biosafety level 1

NCBI_TaxID 10090

CellosaurusAccession CVCL_0125

GMO Status GMO-S1: 4T1 GFP ,

4T1-GFP | 305625

Surface antigens	GFP
-------------------------	-----

Culture Medium	RPMI 1640, w: 2.1mM , w: 2.0g/L NaHCO3(820700a)
-----------------------	--

Supplements	10% FBS
--------------------	---------

Dissociation Reagent	
-----------------------------	--

Doubling time	12.6
----------------------	------

Seeding density	$1\sim 3 \times 10^4 / \text{cm}^2$
------------------------	-------------------------------------

Fluid renewal	2~3
----------------------	-----

Freeze medium	+ 10% DMSO
----------------------	------------

Thawing and Culturing Cells	1.		
	2.	-150°C	3
	3.	37°C	40~60
	4.	, 70%	
	5.	8ml	15ml
	6.	200 x g 5	
	7.		

Incubation Atmosphere	37°C, 5% CO2
------------------------------	--------------

4T1-GFP | 305625

Shipping
Conditions

-78°C

Storage
Conditions

-150°C

-196°C

.80°C

/

/ HLA