Product sheet

CHO-STEAP1 | 305983

Description	: / . **6,250** . . , CHO-STEAP1 6- 1(STEAP1) (CHO) . CHO-STEAP1 , - (ADC), T , , CAR-T CAR-NK , S STEAP1 .
Organism	
Tissue	
Disease	, ; STEAP1
Applications	; STEAP1 ; - (ADC) ; · ;

Age	
Gender	
Morphology	
Cell type	
Growth properties	/

Citation	CHO-STEAP1 (Cytion 305983)
Biosafety level	1
NCBI_TaxID	10029

CHO-STEAP1 | 305983

CellosaurusAccession	CVCL_A8X2
GMO Status	GMO-S1: CHO STEAP1 . , .
Receptors expressed	STEAP1
Culture Medium	: DMEM: F12(1:1), w: 3.1g/L , w: 2.5mM L- , w: 15mM HEPES, w: 0.5mM , w: 1.2g/L NaHCO3(Cytion CHO A(InSCREENeX, InSCREENeX INS-ME-1039)
Supplements	: 5% FBS . (G418-) 0.5mg/mL .
Dissociation Reagent	: -EDTA
Doubling time	14~16
Subculturing	: PBS . PBS CO_2/EDTA (: T25 2~3
Split ratio	1~5
Seeding density	2~5 × 10^4 /cm^2
Fluid renewal	2~3
Post-Thaw Recovery	T25 1:2 ~ 1:3 24 ( ) .
Freeze medium	(FBS) + 10% DMSO , CM-1(Cytion 800100)

CHO-STEAP1 | 305983

Thawing and Culturing Cells

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

Incubation Atmosphere

37°C, 5% $_{CO2}$, .

Shipping Conditions

-78°C . .

Storage Conditions

-150°C -196°C . 80°C .

Sterility

PCR .

, .