

HEK293-IL13RA2 | 305988

Description : , 6,250 .

Organism

Tissue

Age

Gender

Morphology

Growth properties ,

Citation HEK293-IL13RA2 (Cytion 305988)

Biosafety level 1

NCBI_TaxID 9606

Receptors expressed IL13RA2

Culture Medium RPMI 1640, w: 2.0mM , w: 2.0g/L NaHCO3(820700a)

HEK293-IL13RA2 | 305988

Supplements	10% FBS, 1mM β-mercaptoethanol, 10mM HEPES, 1% NEAA	Penicillin (G418-Resistant)	1mg/mL
Dissociation Reagent	Trypsin-EDTA		
Subculturing	1:2 ~ 1:3	PBS	CO ₂ /EDTA T25
Fluid renewal	2~3		
Post-Thaw Recovery	T25	1:2 ~ 1:3	24
Freeze medium	(FBS) + 10% DMSO		CM-1(Cytion 800100)
Thawing and Culturing Cells	<ol style="list-style-type: none"> 1. Thaw vial in 37°C water bath 2. Add 3ml PBS, centrifuge at 300 x g for 3 minutes 3. Resuspend in 8ml PBS, incubate at 37°C for 40~60 minutes 4. Add 70% fresh medium 5. Seed into 15ml T25 flask 6. Incubate at 37°C, 5% CO₂ 7. After 24 hours, medium change to fresh medium 8. Passaging 		
Incubation Atmosphere	37°C, 5% CO ₂		
Shipping Conditions	-78°C		

HEK293-IL13RA2 | 305988

**Storage
Conditions**

-150°C -196°C .80°C

/ / HLA

Sterility

PCR