

HEK293-VEGFR2 | 305990

Description	
HEK293-VEGFR2	2(VEGFR2/KDR/Flk-1)
PLCγ SRC	293(HEK293) . VEGFR2 VEGF
HEK293-VEGFR2	VEGFR2

**Organism**

**Tissue**

**Synonyms** HEK293/VEGFR2

**Age**

**Gender**

**Morphology**

**Growth properties**

**Citation** HEK293-VEGFR2 (Cytion 305990)

**Biosafety level** 1

**NCBI\_TaxID** 9606

**CellSaurusAccession** CVCL\_D7C3

**HEK293-VEGFR2 | 305990**

<b>Receptors expressed</b>	VEGFR2
----------------------------	--------

<b>Culture Medium</b>	RPMI 1640, w: 2.0mM , w: 2.0g/L NaHCO3( 820700a)
-----------------------	--

<b>Supplements</b>	10% FBS, 1mM , 10mM HEPES, 1% NEAA . (G418- ) 1mg/mL .
--------------------	--

<b>Dissociation Reagent</b>	-EDTA
-----------------------------	-------

<b>Subculturing</b>	:	PBS	. PBS	CO2 /EDTA	2-3 T25
---------------------	---	-----	-------	-----------	---------

<b>Fluid renewal</b>	2~3
----------------------	-----

<b>Post-Thaw Recovery</b>	T25	1:2 ~ 1:3	24	.
---------------------------	-----	-----------	----	---

<b>Freeze medium</b>	(FBS ) + 10% DMSO ,	CM-1(Cytion 800100)
----------------------	---------------------	---------------------

<b>Thawing and Culturing Cells</b>	1.	.
	2.	-150°C , 3 .
	3.	37°C 40~60 .
	4.	, 70% .
	5.	8ml 15ml .
	6.	300 x g 3 .
	7.	10ml . T25 , T25
	8.	.

HEK293-VEGFR2 | 305990

**Incubation  
Atmosphere**

37°C, 5% CO<sub>2</sub>

**Shipping  
Conditions**

-78°C

**Storage  
Conditions**

-150°C -196°C .80°C

/ / HLA

**Sterility**

PCR