

Product sheet

NCI-N87-Luc | 305695

Description

NCI-N87-Luc NCI-N87 , NCI-N87
NCI-N87-Luc (BLI)
NCI-N87-Luc NCI-N87 HER2

Organism

Tissue

Disease

Metastatic site

Synonyms NCI-N87, NCI N87, N-87, NCI-H87, H87, H-87, NCIN87

Age

Gender

Ethnicity

Morphology

Growth
properties

Citation NCI-N87-Luc (Cytion 305695)

Biosafety level 1

NCBI_TaxID 9606

CellosaurusAccession CVCL_1603

Product sheet

NCI-N87-Luc | 305695

GMO Status	GMO-S1: , (Luc2,) .			
Antigen expression	Luc2 (,)			
Tumorigenic				
Culture Medium	RPMI 1640, w: 2.0mM , w: 2.0g/L NaHCO3(820700a)			
Supplements	10% FBS, 10 mM HEPES, 2.5 g/L , 1 mM .			
Dissociation Reagent	Accutase 37°C 10			
Subculturing	PBS . T25 3~5ml, T75 5~10ml PBS . T25			
Split ratio	1~3			
Seeding density	$2\sim4\times10^4$ /cm ²			
Fluid renewal	2~3			
Freeze medium	+ 10% DMSO .			

Product sheet

NCI-N87-Luc | 305695

Thawing and
Culturing Cells

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 200 x g 5 .
7. .

Incubation
Atmosphere

37°C, 5%_{CO2} .

Shipping
Conditions

-78°C .

Storage
Conditions

-150°C -196°C . 80°C .