# Product sheet

## MA-891 | 305581

| | |
|---|---|
| **Description** | MA-891 , . ,<br>MA-891 , , , - . |
| **Organism** | |
| **Tissue** | |
| **Disease** | |
| **Metastatic site** | ( ; ) |
| **Applications** | ; ; ; ; - ; |
| **Synonyms** | |

| | |
|---|---|
| **Age** | |
| **Gender** | |
| **Ethnicity** | |
| **Morphology** | |
| **Cell type** | |
| **Growth properties** | |

| | |
|---|---|
| **Citation** | MA-891 (Cytion 305581) |
| **Biosafety level** | 1 |
| **NCBI_TaxID** | 10090 |

## MA-891 | 305581

| | |
|---|---|
| **Culture Medium** | 10% FBS RPMI-1640; 1% - |
| **Supplements** | 10% FBS 1% - . |
| **Dissociation Reagent** | |
| **Doubling time** | 18~24 |
| **Subculturing** | , PBS , Accutase 8~10 . 300×g 3 , |
| **Split ratio** | 1~5 |
| **Seeding density** | $1\sim3\times10^4$ /$cm^2$ |
| **Fluid renewal** | 2~3 |
| **Freeze medium** | (FBS ) + 10% DMSO , CM-1(Cytion 800100) |

| | |
|---|---|
| **Thawing and Culturing Cells** | 1. .<br>2. -150°C , 3 .<br>3. 37°C 40~60 .<br>4. , 70% .<br>5. 8ml 15ml .<br>6. 300 x g 3 .<br>7. 10ml . T25 , T25<br>8. . |
| **Incubation Atmosphere** | 37°C, 5% $_{CO2}$, . |
| **Shipping Conditions** | -78°C . . |
| **Storage Conditions** | -150°C -196°C . 80°C . |