

Product sheet

UM-SCC-112 | 305720

Description

UM-SCC-112 UM-SCC (HNSCC) . UM-SCC
UM-SCC-112 (HNSCC) , , , EGFR , UM-SCC
SPORE Tissue Core) .

Organism

Tissue

,

Disease

(HNSCC)

Applications

HNSCC ; ; ; EGFR ; UM-SCC ; ;

Age

Gender

Ethnicity

Morphology

Cell type

Growth
properties

Citation

UM-SCC-112 (Cytion 305720)

Biosafety level

1

NCBI_TaxID

9606

Product sheet

UM-SCC-112 | 305720

Culture Medium	DMEM, w: 4.5g/L , w: 4mM L- , w: 3.7g/L NaHCO3, w: 1.0mM (820300a)
Supplements	10% FBS 1% (NEAA) .
Dissociation Reagent	
Doubling time	24~48
Subculturing	, PBS , Accutase 8~10 . 300×g 3 ,
Split ratio	1~5
Seeding density	1~3 × 10 ⁴ /cm ²
Fluid renewal	2~3
Freeze medium	+ 10% DMSO .
Thawing and Culturing Cells	1. . 2. -150°C , 3 . 3. 37°C 40~60 . 4. , 70% . 5. 8ml 15ml . 6. 200 x g 5 . 7.

Product sheet

UM-SCC-112 | 305720

Incubation
Atmosphere

37°C, 5%_{CO2}

Shipping
Conditions

-78°C

Storage
Conditions

-150°C

-196°C

-80°C