

Product sheet

C6-Luc | 305620

Description C6-Luc C6 , Benda (1968) Wistar N- C6
C6-Luc , (BLI)

Organism

Tissue

Disease

Applications ; - ; .

Synonyms C6

Age

Gender

Morphology /

Growth properties

Citation C6-Luc (Cytion 305620)

Biosafety level 1

NCBI_TaxID 10116

CellosaurusAccession CVCL_E3GZ

GMO Status GMO-S1: , (Luc2,) .

Product sheet

C6-Luc | 305620

Antigen expression	Luc2 (,)		
Tumorigenic	; Wistar/Sprague-Dawley		
Products	(luc2, pGL4.50)		
Culture Medium	RPMI 1640, w: 2.1mM , w: 2.0g/L NaHCO3(820700a)		
Supplements	10%		
Dissociation Reagent			
Doubling time	24~48		
Subculturing	0.25% /EDTA , (70~80%) 1:3 1:6 .		
Seeding density	1-3×10 ⁴ /cm ²		
Freeze medium	+ 10% DMSO .		

Product sheet

C6-Luc | 305620

Thawing and
Culturing Cells

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 200 x g 5 .
7. .

Incubation
Atmosphere

37°C, 5%_{CO2} .

Shipping
Conditions

-78°C .

Storage
Conditions

-150°C -196°C . 80°C .