Product sheet

K7M2 wt-Luc | 305684

Description	K7M2 wt-Luc K7M2 , . K7M2 BALB/c K7M2 wt-Luc BALB/c (BLI) . K7M2 wt-Luc C3 Fc I(FcgRI) K7M2 ,
Organism	
Tissue	
Disease	
Metastatic site	
Applications	; BALB/c ; ; ; ; (C3, FcgRI);
Synonyms	K7M2-WT, K7M2

Breed/Subspecies	BALB/c
Age	895
Gender	
Cell type	
Growth properties	

Citation	K7M2 wt-Luc (Cytion 305684)
Biosafety level	1
NCBI_TaxID	10090

K7M2 wt-Luc | 305684

CellosaurusAccession	(K7M2 wt-Luc ; K7M2 BALB/c)
GMO Status	GMO-S1: , (Luc2,) .
Receptors expressed	(C3), , Fc , IgG, I(Fcgr1),
Antigen expression	Luc2 (,)
Tumorigenic	
Culture Medium	DMEM
Supplements	10% FBS
Dissociation Reagent	
Subculturing	PBS . T25 3~5ml, T75 5~10ml PBS . T25
Split ratio	1~3
Seeding density	$1\sim3 \times 10^4 /cm^2$
Fluid renewal	2~3
Freeze medium	+ 10% DMSO .

K7M2 wt-Luc | 305684

Thawing and Culturing Cells	1. . 2. -150°C , 3 . 3. 37°C 40~60 . 4. , 70% . 5. 8ml 15ml . 6. 200 x g 5 . 7.
Incubation Atmosphere	37°C, 5% $_{CO2}$, .
Shipping Conditions	-78°C . .
Storage Conditions	-150°C -196°C . 80°C .