

NR8383 | 305200

| | | | | | | | | | |
|--------------------|-------------|------------|---|---|---|---|---|---|-----|
| Description | 8~9 .LPS | 0.001mg/mL | , | , | , | , | , | , | ,Fc |
|--------------------|-------------|------------|---|---|---|---|---|---|-----|

Organism

Tissue

Synonyms NR-8383, NR 8383, NR8383.1, NR8383 AgCl1x3A, AgC11x3A, ,1983 8 3

Breed/Subspecies

Age

Gender

Morphology

Growth properties /

Citation NR8383(305200)

Biosafety level 1

NCBI_TaxID 10116

CellosaurusAccession CVCL_4396

Receptors expressed Fc

Protein expression (Tgf), 1(IL-1), 6(IL-6)

NR8383 | 305200

Culture Medium RPMI 1640, w: 2.0mM , w: 2.0g/L NaHCO3(820700a)

Supplements 15% FBS

Dissociation Reagent , .

Subculturing 15ml PBS (T25 3~5ml, T75 5~10ml).

Split ratio 1:2 ~ 1:4

Fluid renewal 2~3

Freeze medium (FBS) + 10% DMSO , CM-1(Cytion 800100)

- Thawing and Culturing Cells**
1. .
 2. -150°C , 3 .
 3. 37°C 40~60 .
 4. , 70% .
 5. 8ml 15ml .
 6. 300 x g 3 .
 7. 10ml . T25 , T25
 8. .

Incubation Atmosphere 37°C, 5% CO2' .

Flask Coating

NR8383 | 305200

Freezing Procedure -78°C

Shipping Conditions -78°C

Storage Conditions -150°C -196°C .80°C

/ / HLA

Sterility PCR