

AR42J | 500478

Description

AR42J
AR42J
AR42J
AR42J
AR42J

Organism

Tissue

Disease

Synonyms AR4-2J, AR-42J

Morphology

Growth properties

Citation AR42J(500478)

Biosafety level 1

NCBI_TaxID 10116

CellosaurusAccession CVCL_0143

Receptors expressed

AR42J | 500478

Tumorigenic ,

Products

Culture Medium DMEM, w: 4.5g/L , w: 4mM L- , w: 3.7g/L NaHCO3, w: 1.0mM (820300a)

Supplements 10% FBS

Subculturing 300xg 3 , 37 30 PBS . PBS

Seeding density $1 \times 10^4 / \text{cm}^2$

Fluid renewal 2~3

Post-Thaw Recovery $5 \times 10^4 / \text{cm}^2$, 48 .

Freeze medium (FBS) + 10% DMSO , CM-1(Cytion 800100)

AR42J | 500478

Thawing and Culturing Cells

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

Incubation Atmosphere

37°C, 5% CO₂

Flask Coating

Freezing Procedure

-78°C

Shipping Conditions

-78°C

Storage Conditions

-150°C -196°C .80°C

/ / HLA

Sterility

PCR